

Message

From: Groeneveld, Thomas [Groeneveld.Thomas@epa.gov]
Sent: 4/11/2019 4:59:57 PM
To: Anderson, Steve [Anderson.Steve@epa.gov]
CC: Courtnage, Robert [Courtnage.Robert@EPA.GOV]; Winchester, Erik [Winchester.Erik@epa.gov]
Subject: FW: Black/Libby Letter
Attachments: AX-18-000-5598_Asbestos-Libby_Black-Ivers_04.08.2019_REVISED.docx; 08.14.18 - AX-18-000-5598_Asbestos-Libby_Black.docx

Importance: High

Hi, Steve.

Hope all is well.

The OPPT IO unearthed incomplete replies (incoming received in March 2018) to two concerned citizens re: the asbestos risk evaluation and the Libby cleanup effort. To cut to the chase, we are being asked to complete the replies to check the box and close out the entry in CMS.

The attached 2019 file reflects what was handed to me in paper form (after edits in OPPT/OCSPP IOs), which we have edited per passage of time and updates from OLEM on site cleanups. For comparison, I am attaching the last version of what we sent to OPPT IO (August 2018). Finally, I have printed versions of the incomings, which I am happy to scan/send, if helpful.

When you have a few minutes, OPPT IO is requesting your review/concurrence. Please let me know if I can do anything to assist.

Thanks – Tom

Thomas M. Groeneveld
U.S. Environmental Protection Agency
OCSPP/OPPT/NPCD
1200 Pennsylvania Avenue, N.W. (MC 7404T)
Room 5213J
Washington, DC 20460
P: (202) 566-1188
F: (202) 566-0470
E: groeneveld.thomas@epa.gov

From: Scheifele, Hans
Sent: Wednesday, April 3, 2019 1:49 PM
To: Groeneveld, Thomas <Groeneveld.Thomas@epa.gov>
Subject: RE: Black/Libby Letter

Yes, we need to go through with this to close out the letter. There isn't another path forward on this. Let me know if you want to chat about this.

Thanks,
Hans

Hans Scheifele
Special Assistant

Office of Pollution Prevention and Toxics
William Jefferson Clinton Building - East, MC7401M
Washington DC 20460
202.564.3122 (office) | Scheifele.hans@epa.gov

From: Groeneveld, Thomas
Sent: Wednesday, April 03, 2019 1:36 PM
To: Scheifele, Hans <Scheifele.Hans@epa.gov>
Subject: Black/Libby Letter

Almost immediate reactions from the FOB/asbestos crew is questioning whether we should go through with this given the passage of time. (Concern is not the effort, but more so the optics)

Do you have a read on that?

Thomas M. Groeneveld
U.S. Environmental Protection Agency
OCSPP/OPPT/NPCD
1200 Pennsylvania Avenue, N.W. (MC 7404T)
Room 5213J
Washington, DC 20460
P: (202) 566-1188
F: (202) 566-0470
E: groeneveld.thomas@epa.gov